



Smarter, Smaller HD Video Distribution over Coax

NEW Zvpro SERIES



Encoder / Modulators for On-Premise Digital Video Broadcasting

Why Broadcast HD Video?



ZeeVee encoder/modulators convert video sources such as signage players and satellite receivers into digital cable channels that are broadcast over existing coaxial cabling to an unlimited number of HDTV's.

ZvPro's broadcast technology eliminates the need for special equipment (including transmit/receive devices). It's the easiest, most reliable way to distribute a few channels of HD video to multiple HDTV's.

Zvpro

Smarter, Smaller HD Video Distribution over Coax

KEY BENEFITS:

- **Unencrypted HDMI, Component or VGA inputs** — address the needs of all deployments
- **Our best video quality yet!** — 1080p/i, 720p, 480p/i in every unit
- **Single and dual channel versions in a smaller, fan-cooled package** — for simple, reliable installation anywhere!

IDEAL USES:

- **Distribute HD video throughout your facility**
- **Replace multiple signage players**
- **Commercial or residential**





Advanced features of the HDbridge 2000 series, now available in the ZvPro family!

Distributing digital signage, or HD video content has never been easier or more affordable!

Based on the same architecture as their big brothers (HDbridge 2000 Series encoder/modulators), ZvPro models pack powerful features into a small space. At just 1RU high and shelf or rack mountable, it takes just one ZvPro to create a digital TV channel and broadcast it throughout your entire facility.


Simple Installation:

- Shelf or optional rack mount
- Use Existing Coaxial Cabling
- Compatible with any HDTV

Advanced Features:

- Front-Panel Color LCD for Configuration and Status
- Web-based Management
- MPEG2 Video and MPEG1 Layer 2 Audio Encoding
- Analog and Digital Audio Input
- Delay-matched Analog Audio Output

One ZvPro broadcasts HD video to an unlimited number of HDTV's!






- 1) Full color display
- 2) Powerful interface for configuration and monitoring
- 3) Integral flanges for shelf or wall mounting
- 4) 12v DC High retention force connector
- 5) 10/100 LAN port for web-based management
- 6) Delayed matched audio output
- 7) Single or Dual ZeeVee DIN for Component or VGA

- 8) Unencrypted HDMI
- 9) Fan cooled front to back airflow (all units)
- 10) 45 dBmV RF output
- 11) 12v, 25w power supply

Optional Accessories (ordered separately)

- 12) Rack Mount Kit
- 13) A/V Video Cable (3' and 6')
- 14) VGA Video Cable (6')



	Zvpro820	Zvpro810	Zvpro620	Zvpro610
Total Channels	2 HD	1 HD	2HD	1 HD
Input	Unencrypted HDMI	Unencrypted HDMI	COMPONENT, VGA	COMPONENT, VGA
1080p/i	✓	✓	✓	✓
720p	✓	✓	✓	✓
480p/i	✓	✓	✓	✓